


09/926810

1/22

FIGURE 1


Proposed Assay



ENTRAP PROTEIN-PROTEIN COMPLEX IN A SOL-GEL
DERIVED GLASS

FIGURE 2


Fluorescence Signal from BCaM-Melittin System



09/926810

3/22


FIGURES 3



09/926810

4/22

FIGURE 4




09/926810

5/22

FIGURE 5


The Sol-Gel Process



09/926810

6/22



FIGURE 6



09/926810

7/22

FIGURE 7A-B




09/926810


8/22

FIGURE 8A-B

A



B




09/926810

9/22

FIGURE 9



Reversibility of Denaturation for an Entrapped Protein



09/926810

10/22


FIGURE 10A-B



09/926810

11/22

FIGURE 11



09/926810

12/22

FIGURE 12

Proof of Concept of the Assay


Solution	Anisotropy	Wavelength (nm)
Native	0.127	335
Denatured	0.129	334
Recovered	0.099	346
Denatured	0.136	331
Recovered with TFP	0.115	346
	0.121	346

09/926810

13/22

FIGURE 13

Fluorescence Resonance Energy Transfer (FRET)



- Donor excited
- Emits at λ_D that overlaps Acceptor absorbance
- Acceptor excited and emits at a longer λ_A
- Efficiency of energy transfer dependent on distance between donor and acceptor
- Förster distance (R_0) = 50% efficiency

09/926810

14/22

FIGURE 14

- Donor attached to Protein A, Acceptor attached to Protein B
- Efficiency of energy transfer (E) related to distance (r) by;
$$\frac{R_0^6}{R_0^6 + r^6}$$
- Use donor molecule which absorbs at longer λ to TFP \therefore avoid exciting TFP

15/22

FIGURE 15

MelittinBCaM


- Energy Donor
- Dansyl Chloride
- Absorbs @ 370nm
- Emits @ 500nm
- Energy Acceptor
- Fluorescein derivative
- Absorbs @ 494nm
- Emits @ 518nm

$$R_0 = 3.3 - 4.1 \text{ nm}$$

09/926810

16/22


FIGURE 16



Dansyl doesn't interfere with PP interaction

17/22


FIGURE 17



09/926810

18/22


FIGURE 18



09/926810

19/22


FIGURE 19

Fluorescence Spectra of SAP and Phosphorylated
SLAM Peptide

09/926810

20/22



FIGURE 20



09/926810

21/22

FIGURE 21




09/926810


22/22

FIGURE 22

2006220 01892660



Intensity Down Column 3



3 4 5 6

$2 \times 10^{-4} \text{ M}$
 $2 \times 10^{-5} \text{ M}$
 $3 \times 10^{-6} \text{ M}$
 $6 \times 10^{-8} \text{ M}$
 $8 \times 10^{-9} \text{ M}$
 $2 \times 10^{-9} \text{ M}$
 $2 \times 10^{-10} \text{ M}$
 $2 \times 10^{-11} \text{ M}$
 $2 \times 10^{-12} \text{ M}$

1 2 3 4 5 6 7 8 9

